

PKC δ Rabbit mAb (AR1369)

Key Features

Host Species: Rabbit

Reactivity: Human, Mouse, Rat

Applications: WB,IHC,IF,IP,ELISA

Isotype: IgG,Kappa

MW: 78kD (Calculated)

78kD (Observed)

Recommended Dilution Ratios

IHC: 1:500-2000

WB: 1:2000-10000

IF: 1:200-1000

ELISA: 1:5000-20000

IP: 1:50-200

Storage -15°C to -25°C/1 year (Do not lower than -25°C)

Basic Information

Clonality Monoclonal

Immunogen Information

Specificity Endogenous

Target Information

Gene name PRKCD


Protein Name Protein kinase C delta type

OrganismGene IDUniProt IDHuman5580Q05655MouseP28867

Cellular Localization Cytoplasm, Nucleus

Tissue specificity Epithelium, Hippocampus, Liver, Platelet, Skin

Validation Data



Various whole cell lysates were separated by 4-20% SDS-PAGE, and the membrane was blotted with anti-PKC δ antibody. The HRP-conjugated Goat anti-Rabbit IgG(H + L) antibody was used to detect the antibody.


Lane 1: K562

Lane 2: C6


Lane 3: 3T3-L1

Lane 4: Hela

Predicted band size: 78kDa Observed band size: 78kDa



Human tonsil was stained with anti-PKC δ rabbit antibody



Human spleen was stained with anti-PKC δ rabbit antibody

For Research Use Only