

# **GPER1 Rabbit mAb (AR1465)**

## **Key Features**

Host Species: Rabbit

Reactivity: Human, Mouse, Rat

Applications: WB,IHC,IF,IP,ELISA

Isotype: IgG,Kappa

MW: 42kD (Calculated)

55kD (Observed)

#### **Recommended Dilution Ratios**

IHC: 1:1000-5000

WB: 1:2000-10000

IF: 1:200-1000

ELISA: 1:5000-20000

IP: 1:50-200

Storage -15°C to -25°C/1 year (Do not lower than -25°C)

#### **Basic Information**

Clonality Monoclonal

## **Immunogen Information**

Specificity Endogenous

## **Target Information**

Gene name GPER1

Protein Name G-protein coupled estrogen receptor 1

Organism	Gene ID	UniProt ID	
Human	2852	Q99527	
Mouse		Q8BMP4	
Rat		O08878	

Cellular Localization Membrane


Tissue specificity Expressed in placenta, endothelial and epithelial cells, non-laboring

and laboring term myometrium, fibroblasts and cancer-associated

fibroblasts (CAF), prostate cancer cells and invasive adenocarcinoma (at protein level). Ubiquitously expressed, but is most abundant in

placenta. In brain regions, expressed as a 2.8 kb transcript in basal forebrain, frontal cortex, thalamus, hippocampus, caudate and putamen.

## **Validation Data**




Various whole cell lysates were separated by 4-20% SDS-PAGE, and the membrane was blotted with anti-GPER1 antibody. The HRP-conjugated Goat anti-Rabbit IgG(H + L) antibody was used to detect the antibody.


Lane 1: Mouse brain

Lane 2: Rat brain


Predicted band size: 42kDa Observed band size: 55kDa



Mouse kidney was stained with anti-GPER1 rabbit antibody



Rat kidney was stained with anti-GPER1 rabbit antibody



Human placenta was stained with anti-GPER1 rabbit antibody

For Research Use Only		