

Zap-70 (Phospho Tyr319)/Syk (Phospho Tyr352) Rabbit mAb (AR1594)

Key Features

Host Species:	Rabbit
Reactivity:	Human, Mouse
Applications:	WB,IF,IP,ELISA
lsotype:	IgG,Kappa
MW:	70kD (Calculated) 70kD (Observed)
Recommended Dilution Ratios	
WB:	1:2000-10000
IF:	1:200-1000
ELISA:	1:5000-20000
IP:	1:50-200
Storage	-15°C to -25°C/1 year (Do not lower than -25°C)
Basic Information	
Clonality	Monoclonal
Immunogen Information	
Specificity	The antibody detects endogenous ZAP-70/Syk (Phospho AE13) protein.
Target Information	
Gene name	ZAP70/SYK
Protein Name	Tyrosine-protein kinase ZAP-70/Tyrosine-protein kinase SYK
	Organism Gene ID UniProt ID
	Human 7535; 6850 P43403; P43405
	Mouse 22637; 20963 P43404; P48025
Cellular Localization	Cytoplasm. Cell membrane; Peripheral membrane protein. In quiescent T-lymphocytes, it is cytoplasmic. Upon TCR activation, it is recruited at the plasma membrane by interacting with CD247/CD3Z. Colocalizes together with RHOH in the

1

Tissue specificity

Validation Data



immunological synapse. RHOH is required for its proper localization to the cell membrane and cytoskeleton fractions in the thymocytes (By similarity). cytosol.

ZAP70: Expressed in T- and natural killer cells. Also present in early thymocytes and pro/pre-B cells. SYK: Widely expressed in hematopoietic cells (at protein level). Expressed in neutrophils (at protein level). Within the B-cell compartment, expressed from proand pre-B cells to plasma cells.

Various whole cell lysates were separated by 4-20% SDS-PAGE, and the membrane was blotted with anti-Zap-70 (Phospho Tyr319) /Syk (Phospho Tyr352) antibody. The HRP conjugated Goat anti-Rabbit IgG(H + L) antibody was used to detect the antibody. Lane 1: Jurkat Lane 2: Ramos Predicted band size: 70kDa Observed band size: 70kDa

For Research Use Only